

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	521	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$4 near3 (message or signal or packet or cell or unit))	US-PGPRB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 10:39
S2	166	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$4 near3 (message or signal or packet or cell or unit)) and ((Second or another) near2 (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))))	US-PGPRB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 11:11
S3	4	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$4 near3 (message or signal or packet or cell or unit)) and ((Second or another) near2 (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node)))) and (configuration near2 (parameter))	US-PGPRB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 10:34

S4	199	(US-20050233740-\$ or US- 20020169966-\$ or US- 20060039321-\$ or US- 20020108058-\$ or US- 20040066759-\$ or US- 20060017809-\$ or US- 20030043781-\$ or US- 20040116140-\$ or US- 20040264429-\$ or US- 20050064844-\$ or US- 20060039340-\$ or US- 20060039563-\$ or US- 20020115435-\$ or US- 20040235523-\$ or US- 20020075823-\$ or US- 20020128988-\$ or US- 20020173268-\$ or US- 20030035122-\$ or US- 20030092402-\$ or US- 20030095520-\$ or US- 20030129981-\$ or US- 20030142656-\$ or US- 20030169769-\$ or US- 20030231715-\$ or US- 20040009792-\$ or US- 20040033478-\$).did. or (US- 20050053023-\$ or US- 20050083234-\$ or US- 20050201269-\$ or US- 20060089127-\$ or US- 20060130136-\$ or US- 20060030311-\$ or US- 20060193284-\$ or US- 20070072638-\$ or US- 20050021597-\$ or US- 20030200108-\$ or US- 20040047320-\$ or US- 20050062637-\$ or US- 20050135422-\$ or US- 20060094443-\$ or US- 20060153151-\$ or US- 20020039895-\$ or US- 20040142661-\$ or US- 20050171720-\$ or US- 20050254444-\$ or US- 20060012828-\$ or US- 20060075131-\$ or US- 20060098238-\$ or US- 20060141984-\$ or US- 20060259322-\$ or US- 20010034209-\$ or US- 20020111176-\$ or US- 20020177460-\$).did. or (US- 20030013469-\$ or US- 20030033032-\$ or US- 20030069800-\$ or US- 20030095524-\$ or US- 20030134590-\$ or US- 20040019406-\$ or US-	US-PGPUB; USPAT	ADJ	ON	2007/05/29 13:04
----	-----	---	--------------------	-----	----	---------------------

20040044453-\$ or US-
20040066757-\$ or US-
20040072581-\$ or US-
20040076127-\$ or US-
20040113778-\$ or US-
20040132474-\$ or US-
20040176973-\$ or US-
20040218568-\$ or US-
20040236965-\$ or US-
20050037782-\$ or US-
20050057373-\$ or US-
20050070262-\$ or US-
20050130598-\$ or US-
20050204438-\$ or US-
20050226190-\$ or US-
20050249129-\$ or US-
20060019679-\$ or US-
20060045524-\$ or US-
20060068805-\$ or US-
20060071798-\$ or US-
20060104253-\$.did. or (US-
20060111095-\$ or US-
20060142029-\$ or US-
20060217093-\$ or US-
20070010295-\$ or US-
20070064673-\$ or US-
20070115819-\$ or US-
20010029178-\$ or US-
20030128100-\$ or US-
20030169716-\$ or US-
20040038675-\$ or US-
20040077363-\$ or US-
20040106408-\$ or US-
20050026606-\$ or US-
20050159103-\$ or US-
20050252278-\$ or US-
20050272369-\$ or US-
20050281456-\$ or US-
20010022558-\$ or US-
20020077152-\$ or US-
20020090959-\$ or US-
20020090960-\$ or US-
20030002446-\$ or US-
20030021334-\$ or US-
20030219034-\$ or US-
20040142699-\$ or US-
20040192395-\$ or US-
20040198329-\$.did. or (US-
20040203858-\$ or US-
20050003768-\$ or US-
20050152358-\$ or US-
20050163075-\$ or US-
20050170845-\$ or US-
20060098592-\$ or US-
20060148475-\$.did. or (US-
6088591-\$ or US-7055086-\$ or
US-7016353-\$ or US-5668977-\$
or US-6204772-\$ or US-
6721555-\$ or US-6889061-\$ or

US-7065592-\$ or US-7200178-\$
or US-5771462-\$ or US-
6725032-\$ or US-6748218-\$ or
US-7107062-\$ or US-6385653-\$
or US-6424722-\$ or US-
6952881-\$ or US-7058395-\$ or
US-5422887-\$ or US-6360093-\$
or US-6006148-\$ or US-
6035350-\$ or US-6157908-\$ or
US-6230029-\$ or US-6574603-\$
or US-6581837-\$ or US-
6628940-\$).did. or (US-
6785255-\$ or US-6847871-\$ or
US-6889165-\$ or US-6922549-\$
or US-6940405-\$ or US-
7010325-\$ or US-7016325-\$ or
US-7043277-\$ or US-7054637-\$
or US-7075906-\$ or US-
7170857-\$ or US-7194010-\$ or
US-5519759-\$ or US-5950124-\$
or US-6005883-\$ or US-
6052595-\$ or US-6169893-\$ or
US-6275477-\$ or US-6308061-\$
or US-6367516-\$ or US-
6643506-\$ or US-6684058-\$ or
US-6847916-\$ or US-6968184-\$
or US-7023356-\$ or US-
7116996-\$ or US-5265150-\$).
did. or (US-5400327-\$ or US-
5732077-\$ or US-5862142-\$ or
US-5873031-\$ or US-6061389-\$
or US-6128490-\$ or US-
6208290-\$ or US-6212202-\$ or
US-6212368-\$ or US-6222830-\$
or US-6359901-\$ or US-
6453151-\$ or US-6490446-\$ or
US-6542754-\$ or US-6577863-\$
or US-6631126-\$ or US-
6662024-\$ or US-6687243-\$ or
US-6799047-\$ or US-6807160-\$
or US-6816478-\$ or US-
6944542-\$ or US-6952181-\$ or
US-6959191-\$ or US-6980124-\$
or US-6988989-\$ or US-
7062263-\$).did. or (US-
7065351-\$ or US-7076274-\$ or
US-7092670-\$ or US-7167459-\$
or US-7190749-\$).did.

S5	6	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$4 near3 (message or signal or packet or cell or unit)) and S4	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 10:38
S6	0	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$4 near3 (message or signal or packet or cell or unit)) and config\$4.ti.	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 08:44
S7	6	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$4 near3 (message or signal or packet or cell or unit)) and configuration.ti.	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 10:40
S8	19	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$5 near3 (message or signal or packet or cell or unit)) and config\$5.ti.	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:32
S9	4	("10215701").FN.	US-PGRUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 13:13

S10	4	("10215701").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 13:13
S11	0	"10215701".ap.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 13:18
S12	0	(US-2003/0061606A1).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 13:18
S13	0	US-2003/0061606 A1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 13:18
S14	2	2003/0061606	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 13:20
S15	2	2005/0159173	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 15:12
S16	3	2003/0078037	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 13:19
S17	4	2004/0025047	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 15:13
S18	1	2004/0166812	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 13:19
S19	3	2004/0176032	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 13:19
S20	3	2002/0178241	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 13:19

S21	87	("20010023446" "20020007407" "20020057803" "20020077094" "20020085719" "20020105925" "20020116698" "20020157090" "20020178241" "20020183056" "20020198013" "20030005290" "20030005427" "20030013434" "20030032417" "20030033209" "20030060896" "20030061606" "20030078037" "20030117985" "20030135762" "20030186679" "20030202486" "20030217289" "20040022186" "20040023639" "20040023640" "20040025047" "20040054774" "20040078598" "20040082327" "20040137915" "20040166812" "20040176032" "20040203459" "20040203593" "20050114649" "20050195841" "20050215263" "5159625" "5241598" "5586304" "5588143" "5732275" "5742829" "5764899" "5809251" "5809287" "5812531" "5838730" "5870610" "5896566" "5901320" "5905719" "5909437" "5930513" "5930704" "5974312" "5987575" "5999741" "6006034" "6009274" "6023585" "6047129" "6049671" "6052531" "6052600" "6075943" "6078663" "6134593" "6167137" "6167514" "6178512" "6256506" "6347398" "6453159" "6463584" "6490291" "6526506" "6611500"	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/25 13:22
-----	----	--	---------------------------	-----	----	---------------------

		"6628934" "6701435" "6782260" "6788656" "6870822" "6950670" "6965674").PN.				
S22	0	S21 and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$4 near3 (message or signal or packet or cell or unit))	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/25 13:23
S23	87	("20010023446" "20020007407" "20020057803" "20020077094" "20020085719" "20020105925" "20020116698" "20020157090" "20020178241" "20020183056" "20020198013" "20030005290" "20030005427" "20030013434" "20030032417" "20030033209" "20030060896" "20030061606" "20030078037" "20030117985" "20030135762" "20030186679" "20030202486" "20030217289" "20040022186" "20040023639" "20040023640" "20040025047" "20040054774" "20040078598" "20040082327" "20040137915" "20040166812" "20040176032" "20040203459" "20040203593" "20050114649" "20050195841" "20050215263" "5159625" "5241598" "5586304" "5588143" "5732275" "5742829" "5764899" "5809251" "5809287" "5812531" "5838730" "5870610" "5896566" "5901320" "5905719" "5909437" "5930513" "5930704" "5974312" "5987575" "5999741"	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/25 15:15

		"6006034" "6009274" "6023585" "6047129" "6049671" "6052531" "6052600" "6075943" "6078663" "6134593" "6167137" "6167514" "6178512" "6256506" "6347398" "6453159" "6463584" "6490291" "6526506" "6611500" "6628934" "6701435" "6782260" "6788656" "6870822" "6950670" "6965674").PN.				
S24	1	("0128035").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 10:21
S25	0	(2002/0128035).CCLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 10:21
S26	2	("20020128035").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 10:23
S27	2	("6965674").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 10:23
S28	19	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$5 near3 (message or signal or packet or cell or unit)) and configur\$5.ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 15:40

S29	8	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless near2 (station or base or node or (access adj point)) or (mobile near2 (station or base or node))) same (configur\$5 near3 (message or signal or packet or cell or unit)) and configur\$5.ti. NOT S28	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 11:01
S30	86	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$5) and configur\$5.ti.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:31
S31	6	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$5) and configur\$5.ti. and discovery	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:35
S32	48	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$5) and configur\$5.ti. and (identi\$8) and power	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:36

S33	16	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$5) and configur\$5.ti. and (identi\$8) and ("802.11")	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:37
S34	4	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$5) and configur\$5.ti. and (identi\$8) and ("802.11") and (security near2 key)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:39
S35	1	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$5) and configur\$5.ti. and (identi\$8) and ("802.11") and (security near2 key) and (power)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:41
S36	0	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$5) and configur\$5.ti. and (random near3 (generat\$3 or number \$3)) and ((access adj point) and client)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:42

S37	23	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$5) and (random near2 (generat\$4 or number\$3)) and ((access adj point) and client)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:44
S38	19	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$5) and (random near2 (generat\$4 or number\$3)) and ((access adj point) and client) and (power)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 13:27
S39	2	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$5) and (random near2 (generat\$4 or number\$3)) and ((access adj point) and client) and (RF adj power)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 12:46
S40	20	(US-20040082327-\$ or US-20040198319-\$ or US-20040078598-\$ or US-20040203459-\$ or US-20020128035-\$ or US-20030117985-\$ or US-20030005290-\$ or US-20020178241-\$ or US-20020105925-\$ or US-20030035545-\$ or US-20040203889-\$ or US-20050048963-\$ or US-20030078072-\$).did. or (US-6788959-\$ or US-6775559-\$ or US-6615038-\$ or US-7133526-\$ or US-7003295-\$ or US-7107620-\$ or US-7187925-\$).did.	US-PGPUB; USPAT	ADJ	ON	2007/05/29 12:54

S41	0	("9092450").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:01
S42	0	(09/092450).CQLS.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:01
S43	1	("0092450").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:01
S44	2	("8911318").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/29 13:02
S45	2	"08911318"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 13:02
S46	10	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rianc<="20031126" or @riad<="20031126" or @ripn<="20031126") and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (configur\$5) and (random near2 (generat\$4 or number\$3)) and ((access adj point) and client) and (discovery)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 15:45
S47	0	"200210012433"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 14:01
S48	0	"2002/10012433"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 14:01
S49	2	"10012433"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 14:01

S50	92	"0012433"	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 14:01
S51	3	"20020012433"	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 14:01
S52	50	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (discovery adj message)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/29 16:33
S53	10	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (discovery adj message) and (low same power)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 10:29
S54	2	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (discovery adj message) and (increment same power)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 17:10
S55	958	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (increment same power)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 10:46
S56	1	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (discovery adj message) and (increment same power) and (wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node)))	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 10:48

S57	378	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((increment same power) and (wireless adj (station or base or node or (access adj point))) or (mobile adj (station or base or node)))	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 10:58
S58	12	("5640414" "5696903" "5701294" "5974236" "6038448" "6072778" "6097703" "6132306" "6154489" "6421374" "6445917" "6708042").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/05/30 10:49
S59	72	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((increment same power) and ((wireless adj (station or base or node or (access adj point))) or (mobile adj (station or base or node))) same (period near3 time))	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 11:00
S60	21	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((increment same power) and ((wireless adj (station or base or node or (access adj point))) or (mobile adj (station or base or node))) same (period near3 time)) and (request near3 message)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 11:12
S61	85	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((increment OR INCREASE WITH power) and ((wireless adj (station or base or node or (access adj point))) or (mobile adj (station or base or node))) same (period near3 time)) and (request near3 message)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 11:36

S62	64	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((increment OR INCREASE) WITH power) and ((wireless adj (station or base or node or (access adj point)) or (mobile adj (station or base or node))) same (period near3 time)) and (request near3 message) NOT S60	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 11:38
S63	16	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (AP and client) and (WEP key) and "802.11"	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/30 17:11
S64	12	("20020034192" "20020051184" "20020094778" "20020111138" "20030078002" "5287545" "6633757" "6721787" "6807413" "6965948" "710323" "7024183").FN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/06/04 12:29
S65	28	(US-20020178241-\$ or US-20060153151-\$ or US-20020128035-\$ or US-20060089127-\$ or US-20030005290-\$ or US-20030117985-\$ or US-20040203889-\$ or US-20020105925-\$ or US-20030035545-\$ or US-20070097925-\$ or US-20050048963-\$ or US-20040078598-\$ or US-20050090259-\$ or US-20040077341-\$ or US-20030078072-\$ or US-20050101340-\$ or US-20040198319-\$ or US-20040082327-\$).did. or (US-7092713-\$ or US-6615038-\$ or US-7133526-\$ or US-6788959-\$ or US-6708042-\$ or US-6859463-\$ or US-7187925-\$ or US-7184707-\$ or US-7003295-\$ or US-6775559-\$).did.	US-PGPUB; USPAT	ADJ	ON	2007/06/05 10:48
S66	5	S65 and user and discovery	US-PGPUB; USPAT	ADJ	ON	2007/06/05 08:22

S67	28	(US-20020178241-\$ or US-20060153151-\$ or US-20020128035-\$ or US-20060089127-\$ or US-20030005290-\$ or US-20030117985-\$ or US-20040203889-\$ or US-20020105925-\$ or US-20030035545-\$ or US-20070097925-\$ or US-20050048963-\$ or US-20040078598-\$ or US-20050090259-\$ or US-20040077341-\$ or US-20030078072-\$ or US-20050101340-\$ or US-20040198319-\$ or US-20040082327-\$).did. or (US-7092713-\$ or US-6615038-\$ or US-7133526-\$ or US-6788959-\$ or US-6708042-\$ or US-6859463-\$ or US-7187925-\$ or US-7184707-\$ or US-7003295-\$ or US-6775559-\$).did.	US-PGPUB; USPAT	ADJ	ON	2007/06/05 10:48
S68	8	S67 and WEP and client	US-PGPUB; USPAT	ADJ	ON	2007/06/05 10:59
S69	7	S67 and WEP and client and "802.11"	US-PGPUB; USPAT	ADJ	ON	2007/06/05 11:01
S70	7	S67 and WEP and "802.11"	US-PGPUB; USPAT	ADJ	ON	2007/06/05 11:01
S71	11	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and WEP and "802.11" and (configuration adj parameter)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 11:12
S72	293	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (configuration near2 request) and user	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 08:47
S73	81	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (configuration near2 request) same user	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 09:11

S74	0	("370.clas") and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (configuration near2 request) same user	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 08:50
S75	17	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (discovery near2 message)same user	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 09:09
S76	0	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((discovery near2 message) and (configuration near2 message)) same user	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 09:10
S77	968	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (variable adj attenuator)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 10:03
S78	0	("370.clas") and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (variable adj attenuator)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 10:03
S79	302	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (variable adj attenuator) same antenna	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 10:26
S80	31	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (variable adj attenuator) same (antenna and transceiver)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:16

S81	0	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (user adj interface) same (status and configuration sequence)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 11:49
S82	0	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (user adj interface) same (status and configuration adj sequence)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 11:17
S83	10	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (user adj interface) same (status near5 configuration)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:45
S84	619	("370.clas" or "455".clas.) and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (user adj interface) same (status)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/08 12:45
S85	0	AUTHENTICATION IN A PACKET DATA NETWORK	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 08:46
S86	0	Henry Haverine	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 08:46
S87	2	("20020012433").PN.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 08:46
S88	0	(2001/0014593).OCLS.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 08:48
S89	2	("20010014593").PN.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 08:48

S90	1631	(370/254).CCLS.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 11:37
S91	82	(455/270).CCLS.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 12:06
S92	1014	(455/419).CCLS.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 16:04
S93	901	455/419.ccls. and (@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126")	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 12:07
S94	0	(455/421.1).CCLS.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 16:05
S95	0	(455/432).CCLS.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/11 16:05
S96	0	370/255,328	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:15
S97	412	370/255.ccls.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:15
S98	2390	370/328.ccls.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:15
S99	4366	370/328-329.ccls.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:15

S100	865	370/332.ccls.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:19
S101	1710	455/422.1.ccls.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:20
S102	0	455/432.ccls.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:21
S103	3056	455/436.ccls.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/11 16:21
S104	1104	[@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((time or period or interval) with within with request\$5) same (set near5 (time or period or interval))	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:34
S105	354	[@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((time or period or interval) with within with request\$5) same (set near5 (time or period or interval)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 15:43
S106	2	[@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((time or period or interval) with within with configuration near2 request\$5) same (set near5 (time or period or interval)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 15:44

S107	19	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((time or period or interval) with within with configuration near2 request\$5) and ("370" or "455" or "709").das.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 15:59
S108	454	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((time or period or interval) with within with request\$5) same (set\$5 near6 (time or period or interval) and ("370" or "455" or "709").das.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 16:03
S109	22	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wait \$5 with (time or period or interval) with within with request \$5) same (set\$5 near6 (time or period or interval) and ("370" or "455" or "709").das.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 16:09
S110	2	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((time or period or interval) with within with configuration request\$5) same (set near5 (time or period or interval))	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:35
S111	10	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and ((time or period or interval) with within with configuration with request\$5) same (set near5 (time or period or interval))	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:36
S112	63	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wait \$5 with (time or period or interval) with within with request \$5) same (set near5 (time or period or interval))	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:41

S113	2	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wait \$5 with (time or period or interval) with within with configuration near4 request\$5)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:38
S114	851	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (advertis\$6 with request\$6) and ("455" or "370").clas.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:03
S115	33	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (advertis\$6 with request\$6 with (ap or access point\$2 or base station)) and ("455" or "370").clas.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:51
S116	22	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (advertis\$6 with request\$6 with (ap or access point\$2 or base station)) and ("455" or "370").clas. and (request\$5 with (time or period or interval))	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:56
S117	0	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wait with for request\$5 with (time or period or timeout or interval or second\$2 or ms)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:40
S118	0	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wait \$5 with for request\$5 with (time or period or timeout or interval or second\$2 or ms)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:58

S119	0	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wait \$5 with for request\$5 with (time or period or timeout or interval or second\$2 or ms))	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:58
S120	0	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (wait \$5 with for request\$5) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 21:58
S121	451	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (advertis\$6 with request\$6) and ("455" or "370").clas. and (request\$5 with (time or period or interval))	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:03
S122	30	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (advertis\$6 with request\$6) and ("455" or "370").clas. and (("not" or no) near5 request\$5 with (time or period or interval))	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:10
S123	72	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (advertis\$6 with request\$6) and ("455" or "370").clas. and (within with request\$5 with (time or period or interval))	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:11
S124	54	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (advertis\$6 with request\$6) and ("455" or "370").clas. and (request\$5 with within near4 (time or period or interval))	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:29

S125	1	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (configuration message\$2 with after adj2 (time or period or interval)) and ("455" or "370").clas.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:32
S126	2784	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (predetermined time with set \$5) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:40
S127	12	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (predetermined time with set\$5 with manufactur\$5) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:47
S128	1	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (configuration message with predetermined time) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:48
S129	1	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (configuration message with predetermined (time or interval or period)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:49
S130	23	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (configuration message with after with (time or period)) and ("370" or "455" or "709").clas.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/20 22:49
S131	0	("20030169722").FN.	USPAT; USOCR	OR	OFF	2007/12/21 16:24
S132	1	("20030169722").FN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/21 16:25

S133	74717	((@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (((forward\$3 or rout\$3 or transmit\$4 or transmission or send\$3 or sent or switch\$3 or repl\$4 or transfer\$5) with (high \$4 or more or strong\$4) near3 power) same (((max\$5 or most or high\$4) near4 power\$4) or receiv\$5)	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/26 01:00
S134	11049	((@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (((forward\$3 or rout\$3 or transmit\$4 or transmission or send\$3 or sent or switch\$3 or repl\$4 or transfer\$5) with (high \$4 or more or strong\$4) near3 power) same (((max\$5 or most or high\$4) near4 power\$4) or receiv\$5) and ("370" or "455" or "709" or "375").das.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/26 01:01
S135	12344	((@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (((forward\$3 or rout\$3 or transmit\$4 or transmission or send\$3 or sent or switch\$3 or repl\$4 or transfer\$5) with (high \$4 or more or strong\$4) near3 power) and ("370" or "455" or "709" or "375").das.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/26 01:03
S136	975	((@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (((forward\$3 or rout\$3 or transmit\$4 or transmission or send\$3 or sent or switch\$3 or repl\$4 or transfer\$5) with (high \$4 or more or strong\$4) near3 power) with (repeat\$5 or until or reach\$5 or loop or keep) and ("370" or "455" or "709" or "375").das.	US-PGPUB; USPAT; FFRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/26 01:05

S137	340	((@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (((forward\$3 or rout\$3 or transmit\$4 or transmission or send\$3 or sent or switch\$3 or repl\$4 or transfer\$5) with (high \$4 or more or strong\$4) near3 power) with (repeat\$5 or until or reach\$5 or loop or keep) with ((receiv\$5) or (max\$5) near2 power) and ("370" or "455" or "709" or "375"). clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/26 01:06
S138	290	((@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (((forward\$3 or rout\$3 or transmit\$4 or transmission or send\$3 or sent or switch\$3 or repl\$4 or transfer\$5) with (high \$4 or more or strong\$4) near3 power) with (repeat\$5 or until or reach\$5 or loop or keep) with ((receiv\$5) or (max\$5) near2 power) and ("370" or "455"). clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/26 01:07
S139	281	((@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (((forward\$3 or rout\$3 or transmit\$4 or transmission or send\$3 or sent or switch\$3 or repl\$4 or transfer\$5) with (high \$4 or more or strong\$4) near3 power) with (repeat\$5 or until or reach\$5 or loop) with ((receiv\$5) or (max\$5 or most) near2 power) and ("370" or "455"). clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/26 01:08
S140	1	(US-7293088-\$).did.	USPAT	OR	OFF	2008/03/26 01:11
S141	1	S140 and power	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/26 01:14

S142	4197	(@ad<="20031126" or @pd<="20031126" or @rlan<="20031126" or @rlad<="20031126" or @rlpn<="20031126") and (discovery near1 (message\$2 or packet\$2) or beacon) and ("370" or "455").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/26 01:32
------	------	---	---	-----	----	---------------------

3/ 26/ 2008 10:10:08 AM

C:\ Documents and Settings\ kcehic\ Desktop\ apps\ 10722993\ search.wsp